

Cable drum trailers ZW 1300R—3500R For slow traffic



Soundly constructed drum carriers for slow traffic. With an impressive range of user advantages. With or without drum drive. For load carrying weights from 11 up to 30 tonnes.

1. Better efficiency

Lowering investment needs longterm, low maintenance

2. More functionality

Loads of features for safer, easier, faster working

3. Modern presentation

For those taking the lead in their market



Page 2 : Your user advantages

Page 3 : Technical data, colours

Venrooy Cable Equipment
De Hork 35
5431 NS Cuijk
The Netherlands
T +31 (0)485 33 60 33
E info@venrooy.nl
W www.venrooy.nl

Cable drum trailers ZW 1300R—3500R For slow traffic



Your user advantages :



- An upside opening, hydraulically controlled rearbridge (safer, much easier drum insertion)
- Dividable so transportable in parts. Broadening the trailer is easy by broader inbetween piece (lowering investment)



- Four broad tyres for perfect grip also on soft underground (safer)



- Quicklocks axle-insertionblock (easier locking, no loose rattling parts anymore)



- Hinged triangle: easy to connect, and the carrier does not "wriggle" on rough terrain (easier)



- Extended lighting on rearbridge (safer) incl. a separate, centrally positioned space for your logo




- Modern presentation, for those taking the lead in their markets. Upperframe frontside in your house-colours



- **Option :** Rollerset adjustable in 3 positions for cable guidance, with quicklocks (easier, more efficient)



- **Option :** prepared for future placement of drum drive (more efficient)



- **Option :** New innovative concept of drum drive, driving the axle directly (no slippage, more precise)

Central placement of hydromotor above mudguards, thus better weightdistribution on the carrier (more efficient)

Easy to operate. Position of handles guarantees a good view on the work (safer, more efficient)

Low maintenance Hatz dieseldrive, and hydromotor (more efficient)

Usage of low maintenance hydraulic hoses with breakage protection (safer, more efficient)

Frame to protect the hydromotor (protection of your investment, thereby more efficient) : option

Venrooy Cable Equipment
De Hork 35
5431 NS Cuijk
The Netherlands
T +31 (0)485 33 60 33
E info@venrooy.nl
W www.venrooy.nl

Cable drum trailers ZW 1300R–3500R For slow traffic



Technical data :

Type	ZW-1300R	ZW-1500R	ZW-1800R
Load capacity nett	11 tonnes	13 tonnes	15 tonnes
Drum dimensions	depends on requested width inbetween piece		
Lifting	hydraulic	hydraulic	hydraulic
Brake	hydraulic	hydraulic	hydraulic
Coupling	DIN	DIN	DIN
CE- marking	yes	yes	yes
Type	ZW-2500R	ZW-3000R	ZW-3500R
Load capacity nett	20 tonnes	25 tonnes	30 tonnes
Drum dimensions	depends on requested width inbetween piece		
Lifting	hydraulic	hydraulic	hydraulic
Brake	hydraulic	hydraulic	hydraulic
Coupling	DIN	DIN	DIN
CE- marking	yes	yes	yes

Colours :

Upperframe	Lower frame	Axle
Your house colours	Anthracite/Silver Grey	Red

Venrooy Cable Equipment
De Hork 35
5431 NS Cuijk
The Netherlands
T +31 (0)485 33 60 33
E info@venrooy.nl
W www.venrooy.nl